


Vodiaci stĺpik OXA s centrovacím nákrúžkom

COM-673



☺ Špeciálna výroba na dopyt

Objednávacie číslo: **COM – 673**

Príklad objednania : COM - 673 - DxSxL

Cross codes: E1000, Z00

Materiál: 1.7131

D1	E	C	F	E1	D	S	L
20	6	25	7	9	14/15	17	35
							55
							75
							95
							30
							50
							70
							22
							90
							110
							125
							150
							30
							45
							65
							27
							85
							105
							125
							145
							165

D1	E	C	F	E1	D	S	L
20	6	25	7	9	14/15	56	35
							55
							75
							95
							135
							55
							65
							22
							95
							125
							76
							55
26	6	31	7	9	18/20	86	95
							55
							65
							95
							55
							96
							55
							27
							95
							116
							75
							35
26	6	31	7	9	18/20	22	35
							55
							75
							120
							35
							45
							22
							65
							85
							115
							35
							45
65							
27							
85							
105							
125							
165							

Vodiaci stĺpik OXA s centrovacím nákrúžkom

COM-673

D1	E	C	F	E1	D	S	L
26	6	31	7	9	18/20	27	225
							245
							35
						36	55
							75
							95
							115
							135
							165
							225
							255
							35
							45
							65
						46	85
							105
							135
							165
							245
							35
							55
							75
							95
							155
							66
						55	
						75	
95							
145							
55							
75							
95							
135							
55							
86	75						
	95						
	125						
	55						
	95						
	115						
	135						
	35						
	96	55					
		75					
		95					
115							
135							
35							
116		55					
		75					
		95					
		135					
		35					
	17	55					
		75					
		35					
		22	55				
			75				
			105				
130							
35							
27			45				
			65				
			85				
	105						

D1	E	C	F	E1	D	S	L
30	6	35	7	9	22/24	27	125
							165
							205
						36	245
							285
							35
							55
							75
							95
							115
							135
							165
							205
							245
						46	285
							35
							45
							65
							85
							105
							125
							165
							205
							35
							55
						56	75
							95
115							
165							
205							
35							
55							
75							
95							
115							
165							
66	205						
	35						
	55						
	75						
	95						
	115						
	165						
	205						
	35						
	55						
	76	75					
95							
115							
145							
55							
75							
95							
155							
55							
75							
96		95					
	115						
	145						
	55						
	75						
	95						
	125						
	75						
	115						
	155						
	116	95					
135							
155							
95							
135							
155							

Vodiací stĺpik OXA s centrovacím nákrúžkom

COM-673

D1	E	C	F	E1	D	S	L
							45
							65
						27	105
							165
							185
							245
							285
							55
							75
						36	95
							115
							155
							245
							285
							45
							65
							85
						46	105
							125
							165
							245
							285
							55
							75
							95
42	6	47	7	9	30/32	56	115
							135
							175
							245
							295
							55
							75
							95
						66	115
							135
							175
							245
							295
							55
							75
							95
						76	115
							155
							225
							55
							75
							95
						86	115
							155
							225

D1	E	C	F	E1	D	S	L
							55
							75
						96	95
							115
							155
							205
							75
							115
42	6	47	7	9	30/32	116	115
							155
							95
						136	115
							155
							115
						156	155
							155
						196	195
							95
						46	165
							75
							115
						56	155
							195
							75
						66	135
							75
						76	115
							175
							75
						86	135
							75
						96	115
54	10	60	7	12	40/42		155
							95
						116	135
							195
							95
						136	135
							215
							115
						156	155
							215
							155
						196	195
							235
							165
						246	245